

### SITE STATISTICS

ZONE: C-4 COMMERCIAL HIGHWAY BUSINESS  
 PARCEL AREA: 17.65 AC  
 LEASE AREA: 4.83 AC  
 PARCEL ID: CRAN-000007-000002-000091

	REQUIRED
MIN. LOT AREA	12,000 SF
MIN. LOT WIDTH	120'
MIN. F.Y. SETBACK	40'
S.Y. SETBACK	8'
MIN. R.Y. SETBACK	20'
MAX. HEIGHT	35'
A. MAX. BLDG. COVERAGE (% OF LOT)	50%



PARKING TOTAL INSIDE OF LEASE AREA: 104 SPACES (6 HC)

**KAESTLE BOOS**  
 associates, inc

16 Chestnut Street, Suite 301, Foxborough, MA 02035  
 Phone: 508-549-9906 ▲ Fax: 508-549-9907  
 416 Slater Road, P.O. Box 2590, New Britain, CT 06050-2590  
 Phone: 860-229-0361 ▲ Fax: 860-229-5303  
 Additional offices located in Massachusetts and Rhode Island  
 Email: kba@kba-architects.com ▲ Web: www.kba-architects.com

DATE	ISSUE DATE	DESCRIPTION
APRIL 15, 2022		ISSUED FOR RIDE 60% CD SUBMISSION

DATE	REVISIONS	DESCRIPTION




## ACHIEVEMENT FIRST ILLUMINAR SCHOOL ADDITION

85 GARFIELD AVE, CRANSTON,  
 RI, 02920

PROJECT NO.: 21012.02 DRAWN BY: DGM

### OVERALL SITE PLAN

DRAWING NO.:  
**OSP1.01**




2021 © COPYRIGHT KAESTLE BOOS ASSOC., INC.

**NOTES**

- EXISTING UTILITIES AND LOCATIONS INFORMATION IS BASED ON AVAILABLE INFORMATION AND RECORDS. LOCATIONS SHOWN ARE APPROXIMATE AND ALL UTILITIES MAY NOT BE SHOWN. PRIOR TO THE START OF ANY CONSTRUCTION ACTIVITY, THE CONTRACTOR SHALL HAVE ALL UTILITIES MARKED ON THE GROUND. SEE SPECIFICATION FOR REQUIREMENTS.
- PRIOR TO ANY CONSTRUCTION OR DEMOLITION CONTRACTOR SHALL CONTACT DIGSAFE AT 811 RI. A MINIMUM OF 72 HOURS IN ADVANCE. CONTRACTOR IS RESPONSIBLE FOR ANY ADDITIONAL ON-SITE UTILITIES LOCATION SERVICES.
- PRIOR TO ANY CONSTRUCTION CONTRACTOR SHALL INSTALL ALL NECESSARY EROSION CONTROL MEASURES SHOWN ON PLAN, OR AS REQUIRED. ALL EROSION CONTROL MEASURES SHALL BE IN ACCORDANCE WITH THE STANDARDS OF THE RHODE ISLAND GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL, AS AMENDED, AND OR LOCAL MUNICIPALITY REQUIREMENTS, WHICHEVER IS MORE STRINGENT.
- EXISTING CONDITIONS AND UTILITIES INFORMATION WAS OBTAINED FROM SURVEY AND ELECTRONIC FILES ENTITLED "ALTANSIPS LAND TITLE SURVEY, 85 GARFIELD AVENUE" SCALE 1"=60' DATED 08-30-2021 BY DIPRETE ENGINEERING.
- CONTRACTOR IS RESPONSIBLE FOR ALL SITE SAFETY AND SECURITY. CONTRACTOR SHALL INSTALL, MAINTAIN AND REMOVE TEMPORARY CONSTRUCTION FENCE TO ENCLOSE AND SECURE THE SITE DURING CONSTRUCTION OPERATIONS. CONTRACTOR SHALL ADJUST THE LOCATION, GATES AND ACCESS, AS NEEDED TO ACCOMMODATE CONSTRUCTION OPERATIONS FOR THE DURATION OF THE PROJECT. EXISTING FENCE MAY BE USED WHERE POSSIBLE.
- IMPROVEMENTS INDICATED TO BE REMOVED SHALL BE REMOVED TO THEIR FULL DEPTHS. UTILITIES DEMOLITION SHALL BE MADE IN ACCORDANCE WITH SPECIFICATION AND LOCAL UTILITY STANDARDS FOR ABANDONMENT/REMOVAL.
- AREAS OF EXISTING VEGETATION TO REMAIN SHALL BE PROTECTED THROUGHOUT CONSTRUCTION. REVIEW ACTUAL LIMITS OF CLEARING WITH THE OWNER/ARCHITECT, AND SELECTIVELY CLEAR AND PRUNE AS REQUIRED TO REMOVE DEAD, DISEASED, OR POORLY FORMED VEGETATION.
- ADDITIONAL UTILITY DEMOLITION INFORMATION IS NOTED ON DRAWING XXX.XX.
- ALL TREE CLEARING LIMITS SHALL BE FLAGGED BY THE CONTRACTOR AND REVIEWED IN THE FIELD BY OWNER, CONSTRUCTION MANAGER AND LANDSCAPE ARCHITECT PRIOR TO COMMENCEMENT OF CLEARING OPERATIONS.
- ALL DEBRIS AND EXCESS MATERIALS SHALL BE PROMPTLY REMOVED FROM THE SITE AND DISPOSED OF IN A LEGAL MANNER.
- ANY IMPROVEMENTS DAMAGED BY CONSTRUCTION ACTIVITIES SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR AND SHALL BE RESTORED TO THEIR ORIGINAL CONDITION.


**LEGEND**

- PROPERTY LINE
- SETBACK LINE
- CONTRACT LIMIT LINE
- REMOVE WALL & FOOTINGS
- REMOVE FENCE/RAILING
- REMOVE CURB
- SAW CUT LINE (1.5' FROM FACE OF CURB TYP.)
- R&D EXISTING PAVEMENT
- CLEAR AND GRUB
- R&D EXISTING FEATURE
- PROPOSED TREE LINE
- GEOTECHNICAL BORING LOCATION
- SAFETY BARRIER FENCE. AREA SHALL BE PROTECTED MATCH DRIP LINE OF TREES TO REMAIN.
- REMOVE TREE
- R&D REMOVE & DISPOSE
- R&S REMOVE & SALVAGE
- R&R REMOVE & REINSTALL



ISSUE DATE	
DATE	DESCRIPTION
APRIL 15, 2022	ISSUED FOR RIDE 60% CD SUBMISSION

REVISIONS	
DATE	DESCRIPTION





85 GARFIELD AVE, CRANSTON, RI, 02920

PROJECT NO.: 21012.02 DRAWN BY: DGM

**SITE  
DEMOLITION  
PLAN**

DRAWING NO.:  
**L1.01**

- ### NOTES
- CONTRACTOR IS RESPONSIBLE TO VERIFY ALL EXISTING CONDITIONS LAYOUT INFORMATION. BRING ANY DISCREPANCIES TO THE ARCHITECT'S ATTENTION FOR REVIEW AND CLARIFICATION.
  - DO NOT SCALE DRAWINGS. USE DIMENSIONS GIVEN. ALL DIMENSIONS AND EXISTING CONDITIONS SHALL BE VERIFIED BY THE CONTRACTOR IN THE FIELD PRIOR TO THE START OF WORK AND THE CONTRACTOR SHALL BE HELD RESPONSIBLE FOR THE SAME.
  - ALL DIMENSIONS ARE 90° AND TO THE NEAREST FOOT UNLESS OTHERWISE NOTED. ALL RADII ARE 5 FEET UNLESS OTHERWISE NOTED. ALL DIMENSIONS ARE TO THE FACE OF CURB, FACE OF BUILDING, EDGE OF PAVEMENT, CENTERLINE OF FENCE OR THE BOTTOM FACE OF WALL UNLESS OTHERWISE NOTED.
  - CONTRACTOR SHALL ENGAGE A SURVEYOR LICENSED IN THE STATE OF PROJECT TO PERFORM LAYOUT AND SURVEYING SERVICES INCLUDING, BUT NOT LIMITED TO VERIFICATION AND LAYOUT OF BASELINES, PROPOSED IMPROVEMENTS, DIMENSIONS AND ELEVATIONS. REPORT ALL DISCREPANCIES TO THE ARCHITECT.
  - REFER TO CIVIL DRAWINGS FOR ADDITIONAL LAYOUT INFORMATION.
  - CONTRACTOR SHALL COORDINATE LAYOUT OF ALL SITE IMPROVEMENTS WITH THEIR UTILITY LOCATING CO. & SURVEYOR TO AVOID CONFLICT WITH EXISTING UTILITIES. CONTRACTOR SHALL NOTIFY ARCHITECT OF ANY DISCREPANCIES & FIELD ADJUST LAYOUT AS NECESSARY AT NO ADDITIONAL EXPENSE TO THE CONTRACT.




**KAESTLE BOOS**  
associates, inc

16 Chestnut Street, Suite 301, Foxborough, MA 02035  
Phone: 508-549-9906 ▲ Fax: 508-549-9907

416 Slater Road, P.O. Box 2590, New Britain, CT 06050-2590  
Phone: 860-229-0361 ▲ Fax: 860-229-5303

Additional offices located in Massachusetts and Rhode Island  
Email: kba@kba-architects.com ▲ Web: www.kba-architects.com

ISSUE DATE	
DATE	DESCRIPTION
APRIL 15, 2022	ISSUED FOR RIDE 60% CD SUBMISSION
REVISIONS	
DATE	DESCRIPTION



**ACHIEVEMENT  
FIRST ILLUMINAR  
SCHOOL ADDITION**

85 GARFIELD AVE, CRANSTON,  
RI, 02920

PROJECT NO.: 21012.02 DRAWN BY: DGM

**SITE  
LAYOUT  
PLAN**

DRAWING NO.:  
**L2.01**


2021 © COPYRIGHT KAESTLE BOOS ASSOC., INC.

**NOTES**

1. REFER TO PROJECT SPECIFICATIONS FOR ADDITIONAL MATERIALS INFORMATION.
2. REFER TO CIVIL DRAWINGS FOR ADDITIONAL MATERIALS AND LAYOUT INFORMATION REGARDING PAVEMENTS, CURBS & CONCRETE PADS.
3. REFER TO DETAILS FOR ADDITIONAL MATERIALS & LAYOUT INFORMATION.
4. INSTALL PRIVACY SLATS & BOTTOM RAIL ON CHAIN LINK FENCING AT DUMPSTER PAD (TYP.).
5. ALL PLANT BEDS NOT BOUND BY WALKS, BUILDING OR CURBING SHALL BE SURROUNDED BY METAL EDGING (REFER TO SPECS.). EDGING NOT REQUIRED AT INDIVIDUAL TREE PLANTINGS IN LAWN AREAS UNLESS OTHERWISE NOTED.
6. SEAL ALL CONCRETE JOINTS IN CONCRETE PAVEMENT & CURBING. INSTALL EXPANSION MATERIAL BETWEEN BUILDING & ABUTTING CONCRETE WALKS SEAL JOINT. PROVIDE COLOR MATCH SEALANT FOR ALL PAVEMENTS TO BE SELECTED BY LANDSCAPE ARCHITECT.
7. NOTE THAT TEXT ON MATERIALS PLAN IS MASKED FOR CLARITY. DESIGNATED MATERIALS WITHIN AREAS CONTINUE UNDER MASKED TEXT.


**LEGEND**

	PROPERTY LINE
	SETBACK LINE
	CONTRACT LIMIT LINE
	DETAIL REFERENCE TAG
	INDICATES MATERIAL CHANGE
	CONCRETE PAVEMENT
	COLORED/STAMPED CONCRETE PAVEMENT
	ASPHALT PAVEMENT (DRIVE/PARKING)
	ASPHALT PAVEMENT (WALK)
	STONE MULCH PLANT BED
	RESEAL & REPAINT EXISTING ASPHALT PAVEMENT
	CURB (CONCRETE)
	FLUSH CONCRETE CURB
	CHAIN LINK FENCING (VINYL COATED)
	GATES (TYP.)
	CHAIN LINK FENCING
	BALL CONTAINMENT NETTING SYSTEM
	BOLLARDS
	BOLLARD W/ SIGN
	POST & SIGN
	SIDEWALK CURB RAMP W/ DETECTABLE WARNING SURFACE SET IN CONTINUOUS CONC. WALK



ISSUE DATE	
DATE	DESCRIPTION
APRIL 15, 2022	ISSUED FOR RIDE 60% CD SUBMISSION

REVISIONS	
DATE	DESCRIPTION



KEY PLAN

SCALE: 1" = 30'

PROJECT TRUE



**ACHIEVEMENT  
FIRST ILLUMINAR  
SCHOOL ADDITION**

85 GARFIELD AVE, CRANSTON, RI, 02920

PROJECT NO.: 21012.02 DRAWN BY: DGM

**SITE  
MATERIALS  
PLAN**


DRAWING NO.:  
**L3.01**

### GRADING NOTES

- CONTRACTOR IS RESPONSIBLE TO VERIFY ALL EXISTING CONDITIONS LAYOUT INFORMATION. BRING ANY DISCREPANCIES TO THE ARCHITECT'S ATTENTION FOR REVIEW AND CLARIFICATION.
- SMOOTHLY BLEND ALL PROPOSED GRADES TO EXISTING CONDITIONS. ROUND OFF TOP AND TOE OF ALL SLOPES.
- SEE CIVIL DRAWINGS FOR ALL SITE DRAINAGE INFORMATION. "L" SERIES GRADING PLANS ARE FOR SITE GRADING ONLY. REFER TO CIVIL DRAWINGS FOR CB, YD & MH ELEVATIONS.
- PAVED WALKS NOT TO EXCEED 5% (1:20) MAXIMUM SLOPE OR 2% (1/50) CROSS PITCH UNLESS SPECIFICALLY NOTED OTHERWISE.
- ALL HANDICAP PARKING SPACES, SEATING AREAS AND PASSENGER LOADING ZONES SHALL NOT EXCEED 2.0% (1/50) IN ANY DIRECTION.
- ALL BUILDING DOORS/EGRESSES SHALL BE FLUSH WITH ADJOINING MATERIAL UNLESS NOTED OTHERWISE.
- ALL EXPANSION JOINTS AND SCORE JOINTS SHALL BE FLUSH UNLESS NOTED OTHERWISE.
- CURB RAMPS SHALL NOT EXCEED 1:12 OR 2% CROSS PITCH.
- REFER TO L&O FOR ADDITIONAL ACCESSIBLE PARKING & LOADING GRADING INFORMATION.



### GRADING LEGEND

- PROPERTY LINE
- SETBACK LINE
- BASE BID CONSTRUCTION LIMIT LINE
- AREA ENLARGEMENT
- HANDICAP ACCESSIBLE ROUTE (SLOPE NOT TO EXCEED 5% IN DIRECTION OF TRAVEL & SHALL BE MAX. 2% CROSS SLOPE. TYP.)
- EXISTING CONTOUR
- PROP. INTERMEDIATE CONTOUR
- PROP. INTERVAL CONTOUR
- SPOT ELEVATION
- FLUSH CONDITION
- CATCH BASIN
- AREA YARD DRAIN
- DRAINAGE ARROW
- F.F.E. FINISH FLOOR ELEVATION
- B.W. BOTTOM OF WALL
- T.W. TOP OF WALL
- B.S. BOTTOM OF STAIRS
- T.S. TOP OF STAIRS
- B.C. BOTTOM OF CURB
- T.C. TOP OF CURB
- T.F. TOP OF FRAME
- H.P. HIGH POINT
- L.P. LOW POINT
- CST. CONSISTENT
- EXIST. EXISTING
- ACCESSIBLE ENTRANCE



DATE	ISSUE DATE	DESCRIPTION
APRIL 15, 2022	APRIL 15, 2022	ISSUED FOR RIDE 60% CD SUBMISSION

DATE	REVISIONS	DESCRIPTION
------	-----------	-------------



## ACHIEVEMENT FIRST ILLUMINAR SCHOOL ADDITION

85 GARFIELD AVE., CRANSTON,  
RI, 02920


PROJECT NO.: 21012.02 DRAWN BY: DGM

## SITE GRADING PLAN


DRAWING NO.:  
**L4.01**

PLANT LIST				
CODE	BOTANICAL NAME	COMMON NAME	SIZE	COMMENTS
<b>TREES</b>				
PK	PRUNUS KANZAN	KWANZAN FLOWERING CHERRY	2 1/2' - 3' CAL.	B+B
QR	QUERCUS RUBRA	RED OAK	2 1/2' - 3' CAL.	B+B
<b>SHRUBS</b>				
CN	CHAMAECYPARIS OBTUSA 'NANA'	HINOKI CYPRESS	3 GAL.	CONT.
JH	JUNIPERUS HORIZONTALIS 'BLUE RUG'	BLUE RUG JUNIPER	3 GAL.	CONT.
RD	ROSA DOUBLE PINK KNOCK OUT	DOUBLE PINK KNOCK OUT ROSE	3 GAL.	CONT.
RP	ROSA KNOCK OUT PEACHY	KNOCKOUT PEACHY LANDSCAPE ROSE	3 GAL.	CONT.
<b>PERENNIALS &amp; ORNAMENTAL GRASSES</b>				
MM	MISCANTHUS SINENSIS 'MORNING LIGHT'	MORNING LIGHT MAIDEN GRASS	3 GAL.	CONT.
PA	PENNISETUM ALOPECUROIDES 'HAMELN'	DWARF FOUNTAIN GRASS	3 GAL.	CONT.
HO	HOSTA 'FIRST FROST'	FIRST FROST HOSTA	2 GAL.	CONT.

- ### NOTES
- ALL EXTERIOR GROUND AREAS DISTURBED BY CONSTRUCTION AND NOT COVERED BY BUILDINGS, STRUCTURES, PAVING, CONTINUOUS PLANTING BEDS OR OTHER SITE IMPROVEMENTS SHALL HAVE TOPSOIL APPLIED TO A MINIMUM OF 6" GRADED AND SEEDED WITH SPECIFIED GENERAL LAWN MIXTURE.
  - ALL MATERIALS AND CONSTRUCTION METHODS SHALL CONFORM TO THE REQUIREMENTS OF THE CONNECTICUT ASSOCIATION OF LANDSCAPE CONTRACTORS SPECIFICATIONS AND THE AMERIHORT STANDARDS FOR NURSERY STOCK.
  - ALL TREE STAKING OR GUYING SHALL BE DONE IMMEDIATELY AFTER PLANTING, BUT IN NO INSTANCE MORE THAN 24 HOURS AFTER PLANTING. SEE STAKING/GUYING DETAIL. AT COMPLETION OF MAINTENANCE PERIOD REMOVE ALL STAKES, FLAGS, SLUYS, TREE WRAP, AND ANCHORS.
  - MULCH ALL NEW SHRUB BEDS AND PLANT PITS TO ACHIEVE A 3" DEPTH (AFTER SETTLEMENT). MULCH ALL GROUND COVER BEDS TO ACHIEVE A 2" DEPTH (AFTER SETTLEMENT). MULCH FOR SAUCERS AND PLANTING AREAS TO BE A DOUBLE SHREDDED BARK MULCH.
  - ALL LAWN AND PLANTING AREA SOIL PREPARATION SHALL BE FERTILIZED AND AMENDED ACCORDING TO RECOMMENDATIONS OF A SOIL ANALYSIS PROVIDED BY AN APPROVED SOIL TESTING LABORATORY.
  - SEE SPECIFICATIONS FOR GENERAL LAWN AREA SEED MIXTURES.
  - PROVIDE LAWN DEVELOPMENT IN ALL AREAS OF SELECTIVE CLEARING AS DIRECTED.
  - INSTALL METAL EDGING AROUND ALL MULCHED PLANT BEDS NOT BOUND BY WALKS, WALLS OR OTHER FEATURES. REFER TO MATERIALS PLAN & SPECIFICATIONS FOR ADDITIONAL INFORMATION.
  - FINAL LOCATION OF PLANT MATERIAL TO BE APPROVED BY LANDSCAPE ARCHITECT IN THE FIELD. CONTRACTOR SHALL NOTE AND INDICATE UNDERGROUND UTILITIES AS BUILT.
  - CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING PLANT LOCATION WITH UNDERGROUND UTILITIES PRIOR TO COMMENCING PLANTINGS. NOTIFY ARCHITECT IF ANY CONFLICTS EXIST. AN ALTERNATIVE PLANTING LOCATION WILL THEN BE DETERMINED IN THE FIELD WITH LANDSCAPE ARCHITECT.
  - CONTRACTOR SHALL INSTALL TOPSOIL TO SPECIFIED DEPTHS THROUGHOUT PROJECT. REFER TO SPECS FOR TOPSOIL & PLANTING MIX REQUIREMENTS.
  - THE PLANT LIST APPEARS ON THE DRAWINGS FOR THE CONTRACTOR'S INFORMATION ONLY AND NO GUARANTEE IS EXPRESSED OR IMPLIED THAT QUANTITIES THEREIN ARE CORRECT OR THAT THE LIST IS COMPLETE. CONTRACTOR SHALL GUARANTEE THAT ALL PLANT MATERIALS SHOWN ON THE DRAWINGS ARE INCLUDED IN THE FINAL PROJECT. THE SUBMISSION OF A BID BY THE CONTRACTOR ACKNOWLEDGES THAT THE PLANT MATERIAL TYPES AND SIZES SHOWN ON THE CONTRACT DOCUMENTS ARE AVAILABLE.
  - CONTRACTOR SHALL STABILIZE ALL SLOPED AREAS RECEIVING SEED AS REQUIRED UNTIL LAWN IS FULLY ESTABLISHED AND ACCEPTED BY ARCHITECT. CONTRACTOR SHALL MAINTAIN ALL STEEP SLOPES, RESTORE GRADES AND RESEED IF REQUIRED TO ESTABLISH A FULL ACCEPTABLE STAND OF LAWN.



ISSUE DATE	
DATE	DESCRIPTION
APRIL 15, 2022	ISSUED FOR RIDE 60% CD SUBMISSION
REVISIONS	
DATE	DESCRIPTION





85 GARFIELD AVE, CRANSTON, RI, 02920

PROJECT NO.: 21012.02 DRAWN BY: DGM


## SITE PLANTING PLAN

DRAWING NO.:  
**L5.01**







14 TYPICAL JOINT PLACEMENT IN CONCRETE  
SCALE: N.T.S.




15 BASKETBALL COURT LAYOUT  
SCALE: N.T.S.




16 SPECIALTY CONCRETE WALK (STAMPED & COLORED)  
SCALE: N.T.S.




11 CURB RAMP (TYP.)  
SCALE: N.T.S.




12 CROSSWALK LAYOUT (TYP.)  
SCALE: N.T.S.




13 SIGN STANDARD  
SCALE: N.T.S.




7 INTEGRAL CONCRETE WALK/CURB  
SCALE: N.T.S.



8 EXPANSION JOINT  
SCALE: N.T.S.




9 REINFORCED CONCRETE PAD W/ HAUNCH  
SCALE: N.T.S.




10 PRECAST CONCRETE CURB  
SCALE: N.T.S.


GENERAL NOTE:  
ALL FILL MATERIAL BEING IMPORTED AS PART OF THE CAPPING SYSTEM (TOP 12" OF MATERIAL ABOVE GEO-TEXTILE FABRIC) REQUIRED TESTING AND SUBSEQUENT APPROVAL BY THE ENVIRONMENTAL CONSULTANT PRIOR TO BEING DELIVERED AND PLACED ON THE SITE.




1 ASPHALT PAVEMENT  
SCALE: N.T.S.




2 BASKETBALL COURT PAVEMENT  
SCALE: N.T.S.




4 CONCRETE WALK  
SCALE: N.T.S.



5 ASPHALT BERM  
SCALE: N.T.S.



6 FLUSH HANDICAP ACCESSIBLE ENTRANCES  
SCALE: N.T.S.





6 FLUSH HANDICAP ACCESSIBLE ENTRANCES  
SCALE: N.T.S.

**KAESTLE BOOS**  
associates, inc  
16 Chestnut Street, Suite 301, Foxborough, MA 02035  
Phone: 508-549-9906 ▲ Fax: 508-549-9907  
416 Slater Road, P.O. Box 2590, New Britain, CT 06050-2590  
Phone: 860-229-0361 ▲ Fax: 860-229-5303  
Additional offices located in Massachusetts and Rhode Island  
Email: kba@kba-architects.com ▲ Web: www.kba-architects.com

DATE	ISSUE DATE	DESCRIPTION
APRIL 15, 2022	ISSUED FOR RIDE 60% CD SUBMISSION	

DATE	REVISIONS	DESCRIPTION




**ACHIEVEMENT**  
**FIRST ILLUMINAR**  
**SCHOOL ADDITION**  
85 GARFIELD AVE, CRANSTON,  
RI, 02920


PROJECT NO.: 21012.02 DRAWN BY: DGM

**SITE DETAILS**  
DRAWING NO.:  
**L6.01**





2023 © COPYRIGHT KAESTLE BOOS ASSOC., INC.









FABRIC HEIGHT	UP TO 4'	5 TO 6'	8 TO 10'
END CORNER & RAIL POST	2.375" O.D.	2.375" O.D.	3.5" O.D.
LINE POST	1.887" O.D.	2.375" O.D.	2.375" O.D.
TOP AND BOTTOM RAIL	1.887" O.D.	1.887" O.D.	1.887" O.D.
MIDDLE RAIL	NONE	NONE	1.887" O.D.
FOOTING	12" DIA.	12" DIA.	15" DIA.



GATE LEAF SINGLE LEAF	6\"/>	
GATE POST	2.875" O.D.	4" O.D.
GATE FRAME (4 SIDES)	1.875"	1.875"
INTERIOR UPRIGHT	NONE	1 1/2"
FOOTING	12" DIA.	15" DIA.



GATE LEAF DOUBLE LEAF	6\"/>		
GATE POST	4" O.D.	4" O.D.	4" O.D.
GATE FRAME (4 SIDES)	2.375"	2.375"	2.375"
INTERIOR UPRIGHT	NONE	1 1/2"	2.375"
HEAVY DUTY HINGE	3 PER LEAF	3 PER LEAF	4 PER LEAF
FOOTING	12" DIA.	15" DIA.	15" DIA.



**ACHIEVEMENT  
FIRST ILLUMINAR  
SCHOOL ADDITION**


85 GARFIELD AVE, CRANSTON,  
RI, 02920

PROJECT NO.: 21012.02 DRAWN BY: DGM

**SITE  
DETAILS**


DRAWING NO.:  
**L6.02**






**1 GROUNDCOVER, PERENNIALS OR ANNUALS - CONTINUOUS PLANTING BED**

SCALE: N.T.S.



**2 SHRUB PLANTING**

SCALE: N.T.S.





**3 TREE PLANTING**

SCALE: N.T.S.

DATE	DESCRIPTION
APRIL 15, 2022	ISSUED FOR RIDE 60% CD SUBMISSION

DATE	DESCRIPTION
------	-------------



**ACHIEVEMENT  
FIRST ILLUMINAR  
SCHOOL ADDITION**

85 GARFIELD AVE, CRANSTON, RI, 02920

PROJECT NO.: 21012.02 DRAWN BY: DGM

**SITE  
DETAILS**

DRAWING NO.:  
**L6.03**